

WHAT IS CLAIMED IS:

1. A card connector comprising:

a rotatable ejecting lever having a first end and a
5 second end and journaled at a fixed fulcrum, the second end
moving in the direction of ejecting a card to push out the
card when the first end is pushed in the direction of
inserting the card;

distance varying means increasing the distance from the
10 fulcrum to the contact point between the ejecting lever and
the card during ejection of the card.

2. The card connector according to Claim 1, wherein the
ejecting lever is disposed in the back of the connector.

15

3. The card connector according to Claim 2, wherein the
fulcrum is a journal integrated with a header having a
terminal coming into contact with a contact of the card used
for signal processing.

20

4. The card connector according to Claim 2, wherein the
fulcrum is a journal integrated with a cover covering a
housing forming a main body.

25

5. The card connector according to Claim 2, wherein the
distance varying means include a first pushing portion and a
second pushing portion disposed at the second end of the
ejecting lever, the first pushing portion pushing the card in

the starting stage of card ejection, the second pushing portion being farther than the first pushing portion from the fulcrum and pushing the card after the starting stage of card ejection.

5

6. The card connector according to Claim 2, wherein the distance varying means include a curved portion disposed at the second end of the ejecting lever, the curved portion pushing the card and being convex toward the front end of the card, the front end of the card being in the back of the connector when the card is in place.

7. The card connector according to Claim 3, wherein the card has a recess accommodating at least part of the second end of the ejecting lever, the recess being at the front end of the card in the back of the connector when the card is in place, and the ejecting lever is disposed so that the second end pushes the wall of the recess when the card is ejected.

8. The card connector according to Claim 7, wherein the card has an upper wall covering the recess.

9. The card connector according to Claim 2, wherein the ejecting lever is disposed such that the second end of the ejecting lever pushes the front end of the card when the card is ejected, the card being in the back of the connector when the card is in place.

10. The card connector according to Claim 2, further comprising a push rod pushing the first end of the ejecting lever in the direction of inserting the card.